

CONTENTS

| | |
|--|-----------|
| PREFACE | 3 |
| 1. Classical logic | 11 |
| 1.1 Logical connectives. Truth-tables | 11 |
| 1.2. The laws of propositional logic | 13 |
| 1.3. Functional completeness. Full disjunctive normal form | 15 |
| 1.3.1. Zhegalkin polynomials..... | 16 |
| 1.3.2. Sheffer stroke | 17 |
| 1.4. Logical entailment. Axiomatization. Adequacy | 18 |
| 1.5. Historical note | 22 |
| 1.6. First-order predicate logic | 23 |
| 1.6.1. The language of predicate logic | 23 |
| 1.6.2. Interpretation and axiomatization | 25 |
| 1.6.3. The basic properties: completeness, Lindström’s theorem, unsolvability | 29 |
| 2. Intuitive understanding of many-valued logic and its appearance | 32 |
| 2.1. Intuitive understanding of many-valued logic | 32 |
| 2.2. Sources of many-valuedness in logic | 32 |
| 2.3. The proof of independence of axioms | 33 |
| 2.4. Aristotle’s fatalistic argument | 36 |
| 2.5. Prehistory of appearance of many-valued logic | 38 |
| 3. Three-valued logics | 40 |
| 3.1. Łukasiewicz’s three-valued logic \mathbf{L}_3 | 40 |
| 3.1.1. Distinctions of \mathbf{L}_3 from classical two-valued logic \mathbf{C}_2 | 42 |
| 3.1.2. Łukasiewicz’s three-valued modal logic | 45 |
| 3.2. Heyting’s three-valued logic \mathbf{G}_3 | 48 |
| 3.2.1. Brouwer’s three-valued logic \mathbf{G}_3^* (dual to \mathbf{G}_3)..... | 49 |
| 3.2.2. Interrelation between \mathbf{G}_3 and \mathbf{L}_3 | 50 |
| 3.3. Bochvar’s three-valued logic \mathbf{B}_3 | 50 |
| 3.3.1. Two levels of \mathbf{B}_3 : external logical connectives | 51 |
| 3.3.1.1. Three-valued isomorphs of \mathbf{C}_2 | 53 |
| 3.3.2. Axiomatization of \mathbf{B}_3 | 55 |
| 3.3.3. Halldén’s logic \mathbf{H}_3 и Ebbinghaus’s logic \mathbf{E}_3 | 57 |

| | | |
|-----------|---|------------|
| 3.4. | Kleene's three-valued (regular) logics | 58 |
| 3.4.1. | Kleene's strong logic \mathbf{K}_3 | 58 |
| 3.4.2. | Kleene's weak logic \mathbf{K}_3^w | 61 |
| 3.4.3. | Regularity and monotonicity | 62 |
| 3.4.4. | Intermediate Kleene's logic \mathbf{K}_3^\rightarrow (logic Lisp) | 63 |
| 3.4.4.1. | Intermediate Kleene's logic \mathbf{K}_3^\leftarrow (logic Twin Lisp) | 64 |
| 3.4.5. | Interrelations between Kleene's regular logics | 65 |
| 3.4.6. | P -logics | 67 |
| 3.5. | Three-valued paraconsistent logics | 68 |
| 3.5.1. | Priest's logic LP | 69 |
| 3.5.2. | Logic PCont | 70 |
| 3.5.2.1. | Logic PCont as RM3 | 71 |
| 3.5.2.2. | Lattice of paralogics | 72 |
| 3.5.3. | Logic \mathbf{J}_3 | 73 |
| 3.5.4. | Logic \mathbf{P}^1 and \mathbf{P}^2 | 75 |
| 3.5.4.1. | Paracomplete logics \mathbf{I}^1 and \mathbf{I}^2 dual to \mathbf{P}^1 and \mathbf{P}^2 | 77 |
| 3.6. | Sheffer's stroke for some three-valued logics | 77 |
| 3.7. | Some applications | 79 |
| 3.8. | General questions | 81 |
| 3.9. | The lattice of implicative extensions of Kleene's regular logic | 83 |
| 4. | Logical matrices and lattices | 87 |
| 4.1. | The notion of logical matrix | 87 |
| 4.2. | Basic properties of logical matrices | 88 |
| 4.3. | Operations over the matrices | 93 |
| 4.3.1. | Direct product of matrix for \mathfrak{M}_2^c with itself | 94 |
| 4.3.2. | Other operations. Finite approximation | 96 |
| 4.4. | The notion of lattice. Basic properties | 99 |
| 4.4.1. | Boolean algebras | 102 |
| 4.4.2. | Other "logical" algebras | 103 |
| 4.5. | Algebraic semantics | 106 |
| 4.5.1. | Algebraization of \mathbf{L}_3 | 110 |
| 4.5.2. | Algebraization of some other three-valued logics | 112 |
| 5. | Finite-valued logics | 114 |
| 5.1. | Łukasiewicz's finite-valued logics \mathbf{L}_n | 114 |
| 5.1.1. | Matrix logics \mathbf{L}_n | 114 |
| 5.1.2. | Interrelations between finite-valued logics \mathbf{L}_n | 115 |
| 5.1.3. | J_i -operators | 116 |
| 5.1.4. | Ślupecki's operators for \mathbf{L}_n | 116 |
| 5.1.5. | McNaughton's criterion of function definability in \mathbf{L}_n | 117 |

| | | |
|------------|---|------------|
| 5.1.6. | Axiomatization of \mathbf{L}_n | 117 |
| 5.1.7. | Cardinal degree of completeness of \mathbf{L}_n | 120 |
| 5.1.8. | \mathbf{L}_n and Gödel's n -valued logics \mathbf{G}_n | 121 |
| 5.1.9. | Algebraization of \mathbf{L}_n | 123 |
| 5.2. | Post's logics \mathbf{P}_n | 127 |
| 5.2.1. | Matrix logic \mathbf{P}_n | 127 |
| 5.2.1.1. | Post's three-valued logic \mathbf{P}_3 | 128 |
| 5.2.2. | Post's algebras | 129 |
| 5.2.3. | Axiomatization of logics \mathbf{P}_n | 131 |
| 5.3. | The other finite-valued logics | 132 |
| 5.4. | Four-valued logics | 133 |
| 5.4.1. | Introductory remarks | 134 |
| 5.4.2. | \mathbf{L} -modal logic of Łukasiewicz | 135 |
| 5.4.3. | The lattice of extensions of four-valued classical logic \mathbf{C}_4 | 138 |
| 5.4.3.1. | Modal logic $\mathbf{V2}$ | 140 |
| 5.4.4. | Belnap's logic $\mathbf{DM4}$ | 141 |
| 5.4.4.1. | Logic $\mathbf{DM4}$ with modal operators | 145 |
| 5.4.4.2. | Logic $\mathbf{DM4}$ with endomorphisms | 146 |
| 5.4.4.3. | Logic $\mathbf{DM4}$ with implication | 148 |
| 5.4.4.4. | Bilattices | 150 |
| 5.4.4.4.1. | Logical bilattice: implication and classical negation | 153 |
| 5.4.5. | Others four-valued logics | 156 |
| 5.4.6. | "Truth logic" \mathbf{Tr} and Aristotle's fatalistic argument | 158 |
| 5.4.6.1. | Logic \mathbf{Tr} | 158 |
| 5.4.6.1.1. | Axiomatization of logic \mathbf{Tr} | 159 |
| 5.4.6.2. | Logic \mathbf{Tr} and axiomatic theories of truth | 160 |
| 5.4.6.3. | Tarski's convention and logical fatalism | 161 |
| 6. | Axiomatization of finite-valued logics | 163 |
| 6.1. | Prehistory | 163 |
| 6.2. | Others methods | 164 |
| 6.3. | Anshakov–Rychkov's algorithm | 164 |
| 6.3.1. | Preliminary remarks | 166 |
| 6.3.2. | Axiomatization | 168 |
| 6.3.2.1. | Syntax | 168 |
| 6.3.2.2. | Semantics | 172 |
| 6.3.3. | Generalization and others questions | 173 |
| 6.4. | Some reflections | 175 |

| | |
|---|------------|
| 7. Many-valued logic as a functional system | 178 |
| 7.1. Formulas model of n -valued logic | 178 |
| 7.1.1. A notion of a function of n -valued logic. | |
| Initial functions | 178 |
| 7.1.2. Formulae as superposition of initial functions | 180 |
| 7.2. Function algebras | 182 |
| 7.2.1. Close operation, closed classes and bases | 182 |
| 7.2.1.1. Post's classes | 185 |
| 7.3. The problem of functional completeness | 185 |
| 7.3.1. Examples of functional complete systems | 186 |
| 7.3.2. Indications of functional completeness and non-completeness | 189 |
| 7.3.3. Criteria of functional completeness. Precompleteness | 190 |
| 7.3.3.1. Precomplete classes in P_2 and P_3 | 191 |
| 7.3.3.2. Precomplete classes in P_n | 193 |
| 7.3.3.2.1. "Maximal" precomplete classes and their bases | 195 |
| 7.3.4. Sheffer functions | 197 |
| 7.3.4.1. Sheffer function for L_n | 199 |
| 7.4. The fundamental differences of many-valued logic from two-valued one. Continuity | 200 |
| 7.5. Three-valued logics: functional properties | 201 |
| 7.5.1. Classes of functions and bases for P_3 | 202 |
| 7.5.2. Submaximal clones | 202 |
| 7.5.3. Functional properties of B_3 | 205 |
| 7.5.3.1. Hypothesis on criteria of continuity of three-valued logics | 207 |
| 7.5.4. S-classification | 207 |
| 7.6. Łukasiewicz's logics L_n and prime numbers | 207 |
| 7.6.1. Functional properties of L_n (V.K. Finn's theorem) | 208 |
| 7.6.2. Matrix logic for prime numbers | 210 |
| 7.6.3. Algorithm for generation of classes of prime numbers | 213 |
| 8. Infinite-valued logics | 216 |
| 8.1. Łukasiewicz's infinite-valued logic \mathbf{L}_∞ | 216 |
| 8.1.1. Algebraization of \mathbf{L}_∞ | 221 |
| 8.1.2. Changing of the set of truth-values | 226 |
| 8.2. Intuitionistic logic Int and the class of superintuitionistic logics | 227 |
| 8.2.1. Appearance of Int | 227 |
| 8.2.2. Basic properties of Int | 228 |
| 8.2.2.1. Philosophical interpretation of Int (possible world semantics) | 230 |

| | | |
|-----------|---|------------|
| 8.2.3. | Superintuitionistic logics | 232 |
| 8.2.3.1. | Gödel–Dummett’s logic \mathbf{G}_∞ | 233 |
| 8.3. | Synthesis of logics \mathbf{L}_∞ and \mathbf{G}_∞ | 234 |
| 8.3.1. | Symmetrical Heyting’s monoid SHM and Wajsberg–Heyting algebra WH | 235 |
| 8.3.1.1. | Algebras equivalent with WH | 237 |
| 8.3.2. | Logic without fixed points \mathbf{LG}_∞^* | 239 |
| 8.4. | Modal logics | 241 |
| 8.4.1. | C.I. Lewis and K. Gödel | 241 |
| 8.4.2. | Some modal logics | 242 |
| 8.4.2.1. | Tabularity and pretabularity | 244 |
| 8.4.3. | Kripke frames and correspondence theory | 245 |
| 8.4.4. | Important digression | 246 |
| 8.5. | Relevance logics | 248 |
| 8.5.1. | Variable sharing principle and logic \mathbf{R} | 248 |
| 8.5.2. | Some unusual properties | 251 |
| 8.5.3. | Logic \mathbf{RM} | 252 |
| 8.5.3.1. | Logics $\mathbf{RM}_{\rightarrow,\sim}$ and \mathbf{RM}_\rightarrow | 254 |
| 8.6. | Paraconsistent logic \mathbf{C}_ω and hierarchy of its extensions | 255 |
| 8.6.1. | Logic \mathbf{C}_ω and its properties | 256 |
| 8.6.2. | Hierarchy of paraconsistent systems \mathbf{C}_n | 257 |
| 8.6.3. | Non-truth-functional semantics for paraconsistent logics | 258 |
| 8.6.3.1. | Non-algebraization of \mathbf{C}_1 | 259 |
| 8.7. | Others infinite-valued logics | 260 |
| 8.7.1. | Generalization of Post’s logic \mathbf{P}_n | 261 |
| 8.7.2. | Limited and continuous logics | 261 |
| 8.7.2.1. | Non-Archimedean logical many-valuedness | 262 |
| 8.7.3. | Logic with properties of other logics | 263 |
| 8.7.3.1. | Many-valued modal logics | 264 |
| 8.7.4. | Duality of intuitionistic and paraconsistent logics | 266 |
| 9. | Fuzzy set theory and fuzzy logics | 268 |
| 9.1. | Preamble | 268 |
| 9.2. | Fuzzy sets and corresponding logic | 270 |
| 9.3. | The second stage of fuzzification | 274 |
| 9.3.1. | Fuzzy subsets of type 2 | 276 |
| 9.3.1.1. | Restrictions and simplifications | 277 |
| 9.3.1.2. | Hierarchy of minimal models for fuzzy algebras of type 2 | 280 |
| 9.3.2. | On the way to fuzzy logic | 282 |
| 9.4. | Logics based on t-norms | 285 |

| | | |
|------------------|--|------------|
| 9.4.1. | T -norms | 285 |
| 9.4.2. | Semantic approach | 287 |
| 9.4.3. | The basic fuzzy logic BL and its extensions | 289 |
| 9.4.3.1. | The basic fuzzy predicate logic BL\forall | 290 |
| 9.4.4. | Monoidal logic based on t -norm | 291 |
| 9.4.5. | Extensions of t -logics by new connectives and others questions | 293 |
| 10. | Truth-values: Interpretation of many-valued logics | 294 |
| 10.1. | Fixation of the problem | 294 |
| 10.2. | Frege's logical world: two truth-values | 296 |
| 10.3. | Others logical worlds | 297 |
| 10.4. | Suszko's thesis | 300 |
| 10.5. | Intuitive interpretation of \mathbf{L}_n . The problems | 305 |
| 10.6. | T-F-sequences as truth-values | 309 |
| 10.7. | Factor-semantics: subsets <i>versus</i> elements | 311 |
| 10.7.1. | Factor-semantics for infinite-valued logic \mathbf{L}_Σ | 315 |
| 10.8. | Structuralization of truth-values | 318 |
| Appendix: | Boolean lattices of implicational logics | 324 |
| 1. | The problem of classification of implicational logics. Combinators | 324 |
| 2. | The lattice of implicational logics $\mathbf{L}(\mathbf{H}_\rightarrow)$ | 326 |
| 3. | The lattice of implicational logics $\mathbf{L}(\mathbf{TV}_\rightarrow)$: classical versions of BCI , BCK and R \rightarrow | 330 |
| 4. | Maximal lattice $\mathbf{L}(\mathbf{TV}_\rightarrow)$: logics \mathbf{RM}_\rightarrow and \mathbf{L}_∞ | 335 |
| 5. | The lattice of implicational logics $\mathbf{L}(\mathbf{TV}_\rightarrow)$: logics E \rightarrow , S4 \rightarrow and S5 \rightarrow | 340 |
| 6. | Some full propositional logics | 341 |
| 7. | Some remarks on classification of logics | 343 |
| | REFFERENCES | 346 |
| | AUTHOR INDEX | 416 |
| | SUBJECT INDEX | 426 |